References

Afessa, B., Green, W., Chiao, J. and Frederick, W. (1998). Pulmonary complications of HIV infection: autopsy findings. Chest, 1226 – 1229.

Affolabi, D., Adjagba, O.A., Tanimomo-Kledjo, B. Gninafon, M., Anagonou, S.Y. and Portaels, F. (2007). Anti-tuberculosis drug resistance among new and previously treated pulmonary tuberculosis patients in Cotonou, Benn. ***Int. J. Tuberc. Lung Dis. 11 (11)*** : 1221 – 1224.

Almogren, A. (2011). Pulmonary tuberculosis associated with increased number and percentage of natural killer and B cells in the peripheral blood. ***African J. Micr. Res. 5 (15)***: 2048 – 2052.

Al-Soub, S. K. (1997). Tuberculosis tenosynovitis: A rare manifestation of a common disease. ***int. J. Clin. Pract.,*** 52 : 56 – 58.

Ashour M. (1997). Pneumonectomy for tuberculosis. ***Eur. J. Cardiothora. Surg., 12*** : 209 – 213

Bakhle, D.S. (2000). Medical Menace of the Millennium. ***J. Ind. Med. Assoc., 98*** : 94 – 95.

Beena, K.R. and Mukherjee, A. (1999). Significance of nerve involvement in the diagnosis of leprosy and skin tuberculosis. ***Ind. J. Pathol. Microbiol.,*** 42 : 195.

Bergmann, J. S. and Woods, G. L. (1997). Reliability of Mycobacterium growth indicator tube for testing susceptibility of *Mycobacterium tuberculosis* to ethambutol and streptomycin. ***J. Clin. Microbiol.,*** 35 : 3325 – 3327.

Bhatt, C.P., Bhatt, A.B. and Shrestha, B. (2010). Knowledge of tuberculosis treatment-A survey among tuberculosis patients in DOTS program in

Nepal. ***Saarc J. Tuberc. Lung Dis. HIV/AIDS, Vll (2)***: 10 - 14.

Chan, E.D., Laurel, V., Strand, M.J., Chan, J.F., Huynh, M.N., Goble, M. and Iseman, M.D. (2004). Treatment and outcome analysis of 205 patients with multidrug-resistance tuberculosis. ***Am. J. Crit. Care Med., 169*** : 1103 – 1109.

Chandra, R., Mishra, P.C., Srivastava, A. K. and Sharan, R. (1995). Physical disability in childhood and its management with special emphasis on physiotherapy. ***The Child Today, 1*** : 78 – 82.

Culliton, B.J. (1992). Drug-resistant TB may bring epidemic. ***Nature,*** 356 : 473.

David, S.T., Mukundan, U. Brahmadathan, K.N., John, T. (2004). Detecting micobacteraemia for diagnosing tuberculosis. ***Indian J. Med. Res. 1019*** : 259 – 266.

Dholakia, R. (1997). The potential economic benefits of the DOTS strategy against TB in India. WHO report, Geneva, ***WHO/TB/96*** : 218.

Dhungana, G.P., Ghimire, P., Sharma, S. and Rijal, B.P. (2007). Intensified case finding of active pulmonary tuberculosis among HIV positive persons in Kathmandu. ***Journal of Nepal Health Res. Council, 5 (1)*** : 11 – 16.

Eapen, M., Francis, S. and Aravindan, K.P. (1999). Changing trend of tuberculous lymphadenitis in Kerala. ***Ind. Pathol. Microbiol., 42*** : 266 – 267.

Elkin, M. (1990). Urogenital tuberculosis. Pollock HM, Mc Clennan B (Eds.). Clinical Urography. ***Philadelphia:Saunders*** : 1020 – 1052.

EL-Solh, A.A., Nopper, J., Abdul-Khoudoud, M.R., Sherif, S.M., Aquilina, A.T. and Grant, B.J. (1998). Clinical and radiographic manifestations of uncommon pulmonary non-tuberculous mycobacterial disease in

AIDS patients. ***Chest, 114*** : 138 – 45.

Emori, M., Tomioka, H., Sato, K. and Saito, H. (1998). Evaluation of in vivo therapeutic efficacy of a new benzoxazinorifamycin KRM-1648, in SCID mouse model for disseminated *Mycobacterium avium* complex infection. ***Int. J. Antimicrob. Agents, 10*** : 59 – 65.

Erokhin, Y.Y. (1998). Morphological signs of ineffective chemotherapy for experimental destructive pulmonary tuberculosis. ***Probl. Tuberk.,3*** : 61 – 66.

Garcia, V.E. Uyemura, K., Sieling, P.A., Ochoa, M.T., Morita, C.T., Okamura, H. Kurimota, M., Rea, T. H. and Modlin, R.L. (1999). IL-18 promotes type-1 Cytokine production from NK cells and T cells in human intracellular infection. ***J. Immunol., 162*** : 6114 – 6121.

Getanun, H. Harrington, M., Obraien, R., Nunn, P. (2007). Diagnosis of smear negative pulmonary tuberculosis in people with HIV infection or AIDS in resource-constrained settings. ***Informing urgent policy changes, 396*** : 3 – 28.

Goudge, R.J., Mayall, B. C., Leslie, D.E., Holmes, P.W. and Robinson, S. L., (1998). An Australian isolate of *Mycobacterium Shimoidei* ***Pathology, 30*** : 399 -401.

Gupta, P.K. and Bhangui, G. R. (1999). Study of Hypopigmented Macular Skin Patches with Special reference to an early diagnosis of indeterminate leprosy. ***Ind. J.Pathol. Microbiol., 42*** : 195.

Gupta, S., Prasad, V., Bairy I. and Muralidharan, S. (2009). Comparative evaluation of two cold staining methods with the Ziehl-Neelsen method for the diagnosis of tuberculosis. ***Southeast Asian J. Trop.***

Med. Pub. Health, 40 : 765 – 769.

Habeenzu, C., Mitarai, S., Lubasi, D. (2007). Tuberclosis and multidrug resistance in Zambian prisons, 2000-2001, ***Int. J. Tuberc. Lung Dis., 11(11)*** : 1216 – 1220.

Hernandez, P.R., De La Luz, S. M., Orozco, H., Arriago, K., Pavon, L., Al Nakhli, S. A. and Rook, G.A. (1998). The effects of androstenediol and dehydroepiandrosterone on the course and cytokine profile of tuberculosis in BALB/C mice. ***Immunology, 95*** : 234 – 241.

High, K.P. (2002). Infection in an ageing world. ***Lancet Infect Dis., 2*** : 655.

High, K.P. (2003). Why should the infectious diseases community focus on aging and care of the older adult. ***Clin. Infect. Dis., 37*** : 196 – 200.

Hocqueloux, L., Lesprite, P., Hermann, J.L., De La Blanchardiere, A., Zagdanski, A.M., Decazes, J.M. and Modai, J. (1998). Pulmonary Mycobacterium avium complex disease without dissemination in HIV-infected patients. ***Chest, 113*** : 542 – 548.

Ip, M.S., Yuen, K.Y., Woo, P.C., Luk, W.K., Tsang, K.W., Lam, W.K. and Liang, R.H. (1998). Risk factors for pulmonary tuberculosis in bone marrow transplant recipients. ***Am.J. Respir. Crit. Care Med., 158*** : 1173 – 1177.

Iseman, M.D. (2000). ***A clinician's guide to tuberculosis***. Philadelphia Lippincott.

Jacobs, M.R. (1995)j. Activity of quinolones against mycobacteria. ***Drugs, 49*** : 67 – 75.

Jain, R.C. (1997). Extra Pulmonary Tuberculosis. ***Jour. Int. Med. Ind., 8*** :

196 – 201.

Jain, R.C. (1998). Anti Tubercular Activity of Garlic Oil. **Ind. J. Pathol, Microbiol., 41** : 131.

Kam, K.M., Yip, C.W., Tang, H.S. and Van Deun A. (2009). Bulk acid fast staining of sputum smears: time to end a taboo. ***Int. J. Tuberc. Lung Dis., 13*** : 1119 – 1123.

Karak, K., Bhattacharyya, S., Majumdar, S. and De, P.K. (1996). Pulmonary infections casued by Mycobacteria other than *M. tuberculosis* in and around Calcutta. ***Ind. J. Pathol. Microbiol. 39*** : 131 – 134.

Kosmiadi, G.A., Abramova, Z.P., Gergert, V. la. And Titiukhina, M.V. (1995). Phenotypic and functional analysis of blood lymphocytes and pathological focus in-patients with pulmonary tuberculosis. ***Probl. Tuberk., 2*** : 42 – 43.

Krishnamurthy, V.V. and Chauduri, K. (1990). Risk of pulmonary tuberculosis associated with exogenous re-infection and endogenous reactivation in a South Indian rural population – A mathematical estimate. ***Ind. J.Tub., 37*** : 63 – 5 – 65.

Kumar, R.R., Shafiulla, M. and Sridhar, H. (1999). Association of tuberculosis with malignancy at KIMIO – An oncology centre. ***Ind. J. Pathol. Microbiol., 42*** : 339 – 343.

Leonard, V., Sacks, Rachel, E. and Behrman, R.E. (2008). Developing new drugs for the treatment of drug-resistance tuberculosis: a regulatory perspective. ***Tuberc., 88*** : 93 – 100.

Lopez, A.D., Mathers, C.D., Ezzati, M., Jamison, D.T. and Murray, C.J. (2006). Global and burden of disease and risk factors. 2001; systematic

analysis of population health data. ***Lancet, 367*** : 1747 – 1757.

Lounis, N., Ji, B., Truffot-Pernot, C. and Grosset, J. (1997). Which aminoglycoside or fluoroquinolone is more active against *Mycobacterium tuberculosis* in mice? ***Antimicrob. Agents Chemother., 41*** : 607 – 10.

Madegedara, D., Kulathunga, K.M.C.N. and Nakandala, S.C. (2010). Retrospective analysis of use of empiric anti tuberculosis treatment in smear negative pulmonary tuberculosis patients in central Sri Lanka. ***Saarc. J. Tuberc. Lung Dis. HIV/AIDS, Vll (2)*** : 15 – 18.

Maiti, S., Patra, S., Nandi, D., Bandyopadhyay, B., Mondal, K.C. and Pati, B.R. (2010). Tuberculosis: studies on role of gender, age and drug addiction in eastern part of India. ***Saarc J. Tuberc. Lung Dis. HIV/AIDS, Vll (2)*** : 1 – 9.

Martinez, V.C., Bordon, J., Radriguez, G.A., de la Fuente, A.J., Sopena, B., Gallego, R.A. and Martinez, C.P. (1995). Cerebral tuberculome a comparative study in patients with and without HIV infection. ***Infection, 23*** : 149 – 153.

McGowan, J.E. Jr. (1995). Nosocomial Tuberculosis: new progress in control and prevention. ***Clin. Infect. Dis., 21*** : 489 – 505.

Mehta, S.K. and Sachdev, A. (1993). Abdominal tuberculosis: A Review. ***J. Int. Med. Ind., Suppl. 5*** : 20 – 25.

Mennon, M.P.S., Jaiswal, A., Khanna, S.P. and Kapoor, A. (1990). Ty. lymphopenia in active pulmonary tuberculosis. ***Inidan J. tuberc., 37*** : 97 – 100.

Mishra, P.C., Chandra, R., Srivastava, A.K., Saxena, A.K., Keswani, K. and

Sharan, R, (1995). Role of physiotherapy in tuberculosis meningitis. ***The child today, 1*** : 27 – 31.

Mitnick, C., Bayona, J., Palacios, E., Shin, S., Furin, J., Alcantara, F., Sanchez, E., Sarria, M., Smith Fawzi, M.C., Kapiga, S., Neuberg, D., Maguire, JH Kim, J.Y., and Farmer, P., (2003) Community based therapy for multidrug-resistance tuberculosis in Lima, Peru. ***N. Engl. J. Med., 348*** : 119 – 128.

Moore, D.A., Mendoza, D., Gilman, R.H., Evans C., Delgado, M., Guerra, J., Caviedes, L., Vargas, D., Ticona, E., Ortiz, J., Soto, G. and Serpa, J. (2004). Microscopic observation drug susceptibility assay a rapid reliable diagnostic test for multidrug resistance tuberculosis suitable for use in resource- poor setting. ***J. Clin. Microbiol, 42*** : 4432 – 4437.

Moreira, A.L., Tsenova-Berkova, L., Wang, J., Laochumroonvorapong. P., Freeman, S., Freedman, V.H. and Kaplan, G. (1997). Effects of cytokine modulation by thalidomide on the granulomatous response in murine tuberculosis. ***Tuber. Lung. Dis., 78*** : 47 – 55.

Moss, A.R, Alland, D., Telzak, E., Hewlett Jr., Sharp, V., Chiliade, P., LaBombardi, V., Kabus, D., Hanna, B., Palumbo, L., Brudney, K., Weltman, A., Stoeckle, K., Chirgwin, K., Simberkoff, M., Moghazeh, S., Eisner, W., Lutfey, M. and Kriswirth, B. (1997). A city-wide outbreak of a multiple-drug-resistant strain of *Mycobacterium tuberculosis* in New York. ***Int. J. Tuberc. Lung. Dis., 11 (2)*** : 115 – 121.

Nigam, A., Gupta, S. and Kumar, R. (1999). lgG and lgM Antibodies against Ag60 in childhood tuberculosis. ***Ind. J. Pathol. Microbiol. 42*** : 271 – 272.

Ormerod, L.P.,Horsfield N., Green, G.M., (2002). Tuberculosis treatment

outcome monitoring. ***Int. J. Tuberc. Lung Dis., 6*** : 662 - 665

Park, B.H., Jung, M. and Lee, T.J. (2009). Associations of income and wealth with health status in the Korean elderly. ***J. Prev. Med. Public Health 42*** : 275 – 282.

Pilheu, J.A. (1998). Tuberculosis 2000: Problems and solutions. ***Int. J. Tuberc. Lung Dis.,*** 2 : 696 – 703.

Praharaj, A.K. Gupta, R.M., Vergehese, Maj. S.J. OHRI. and Brig. V.C. (1999). Incidence and drug susceptibility pattern of *Mycobacterium tuberculosis* in HIV infected patients. ***Ind. J. Pathol. Mecrobiol., 42*** : 230 – 231.

Puri, M.M., Gupta, K., Singh, R.P. and Gupta S.P. (1998). A case of pulmonary tuberculosis with pancytopenia. ***J. Int. Med. Ind., 9*** : 20 – 21.

Restrepo, B.I. (2007). Convergence of the tuberculosis and diabetes epidemics – renewal of old acquaintances. ***Clin. Infect. Dis., 45*** : 436 – 438.

Roy, P. and Rizvi, S.N.A. (1991). Tuberculosis meningitis annals of IMA Academy of Med. Specialities. ***5 (1 and 2)*** : 44 – 53.

Sakuma, R., Jin, K., Nagai, M., Kinpara, T., Shiga, Y., Fujihara, K. and Itoyama, Y. (1997). A case of multiple intracranial tuberculoma diagnosed by open brain biopsy. ***Rinsho. Shinkeigaku., 37*** : 895 – 9.

Selvakumar, N., Kumar V., Krishnamurthy, P. V., Prabhakar, R. and Murthy, P. S. (1997). In vitro susceptibility of *Mycobacterium tuberculosis* to trifluoperazine. ***Current Science. 73*** : 79 – 80.

Singh, S.B. and Goel, S.C. (2000). Immunodiagnosis in bone and Joint

tuberculosis, ***J. Ind. Med. Assoc., 98*** : 97 – 99.

Sreevatsan, S., Pan, X., Zhang, Y., Kreiswirth, B. N. and Musser, J.M. (1997). Mutations associates with pyrazinamide resistance in pncA of *Mycobacterium tuberculosis* complex organisms. ***Antimicrob. Agents Chemother.,*** 41 : 636 – 640.

Story, A, Murad, S., Roberts, W., Verheyen, M. and Hayward, A.C. (2007). Tuberculosis in London: the importance of homelessness, problem drug use and prison, ***Thorax, 62*** : 667 – 671.

Takamizawa, A., Kamijo, Y. and Yamazaki, Y., Kubo. K. (1997). Pulmonary disease caused by Mycobacterium avium presenting as a solitary cavity with a thickened wall, ***Nihon. Kyobu. Shikkan. Gakkai. Zasshi., 35*** : 1228 – 1231.

Toossi, Z., Mincek, M., Seeholtzer, E., Fulton, S.A., Hamilton, B.D. and Hirsch, C.S. (1997). Modulation of IL-12 by transforming growth factor – beta (TGF-beta) in *Mycobacterium tuberculosis* – infected mononuclear phagocytes and in patients with active tuberculosis. ***J. Clin. Lab. Immunol., 49*** : 59 – 75.

Udwadia, Z.F. and Pinto, L.M. (2007). Review series; the politics of T.B.: the politics, economics and impact of directly observed treatment (DOT) in India. ***Chron. Respir. Dis., 4*** : 101 – 106.

Umubyeyi, A., Rigouts, L., Shamputa, I.C., Dedistre, A., Struelens, M., and Portaels, F. (2008). Low levels of second-line drug resistance among multidrug-resistance *Mycobacterium tuberculosis* isolated from Rwanda, ***Int. J. infect Dis., 12 (2):*** 152 – 156.

Uplekar, M. and Rangan, S. (1996). Tackling TB : The search for solutions.

Mumbai: The Foundation for Research in Community Health.

Verma, S.C., Dhungana, G.P., Joshi, H. S., Kunwar, H.B., Jha, R.K. and Pokhrel A.K. (2010). Prevalence of pulmonary tuberculosis among HIV infected drug users in Pokhara, Kaski, Nepal. ***Saarc J. Tuberc. Lung Dis. HIV/AIDS,Vll (2)*** : 19 – 25.

Wandwalo, E.R. and Morkve, O. (2000). Knowledge of disease and treatment among tuberculosis patients in Mwanza, Tanzania. ***Int. J. of Tuberc. and Lung Dis., 4(11)*** : 1041 – 1046.

Whit, VL, Moore-Gillon, J. (2002). Recourse implications of patients with multidrug resistance tuberculosis. ***Thorax, 55*** : 962 – 963.

Woods, G. L. and Witebsky, F.G. (1995). Mycobacterial testing in clinical laboratories that participate in the college of American Pathologists Mycobacteriology E survey: results of a 1993 questionnaire. ***J. Clin. Microbiol., 33*** : 407 – 412.

Woudstra, M., Van-Tilburg, A.J. and Tjen, J.S. (1997). Two young somalians with gastric outlet obstruction as a first manifestation of gastroduodenal tuberculosis. ***Eur. J. Gastroenterol. Hepatol., 9*** : 393 – 395.

Yong, D. B. and Garbe, T.R. (1991). Lipoprotein antigen of *Mycobacterium tuberculosis.* ***Res. Microbiol., 142*** : 55 – 65.

Young, D.B., Perkins, M.D., Duncan, K. and Barry, C.E. (2008). Confronting the scientific obstacles to global control of tuberculosis. ***J. Clin. Invert, 118*** : 1255 – 1265.